

SALVANA SICCO STOP®

Electrolyte drink for calves

Digestive disorders (diarrhoea) in young animals always result in more or less severe dehydration! This can only be prevented by immediate use of an oral rehydration therapy. SALVANA SICCO STOP® should be in stock on any farm at any time. An immediate application from the outset aids recovery from digestive disorders and will help to avoid negative consequences right from the start.



Selected electrolytes – stabilizing electrolyte balance and preventing dehydration



Glycine chelated iron and instantly soluble vitamins – promoting vitality and strengthening the immune system



Glucose - re-energizes and rehydrates



Buffering sodium bicarbonate – regulating acid-base-metabolism



Active lactic acid bacteria – stabilizing the intestinal microflora

Feeding recommendation:

SALVANA SICCO STOP® should be fed in a concentration of 115 g per 2 liters of water in order to obtain optimum results. The oral rehydration solution should be mixed fresh right before feeding at a temperature of 40°C. Added Vitamins result in a light yellow color of the prepared solution.

Use in calves	application	dosage	duration
in case of diarrhoea / scours	Do not withdraw milk! Always use as intermediate drink! feed 2 to 3 intermediate drinks per day	1,5 – 2,0 l per calf and meal	min. 2 days up to 7 days
rehydration after arrival on farm	First feed after arrival on farm! feed as intermediate drink at noontime and late evening	2,0 l per calf	for 2 to 3 days

**SALVANA SICCO STOP® -
effectively prevents electrolyte deficits!**

Package: 3 kg, 10 kg bucket or 25 kg bag